



16 % NRFM BEEF CALF GROWER PELLETTED MEDICATED

Medicated with monensin sodium 44 mg/kg as an aid in the prevention of Coccidiosis caused by *Eimeria bovis* and *Eimeria zuernii* in beef cattle.

A list of the ingredients used in this feed may be obtained from the manufacturer.

This feed contains selenium added at 0.3 mg/kg.

GUARANTEED ANALYSIS:

Crude Protein, Min.....	16.00 %
Crude Fat, Min.....	3.00 %
Crude Fibre, Max.....	13.00 %
Calcium, Act.....	0.75 %
Phosphorus, Act.....	0.60 %
Salt, Act	0.76 %
Sodium, Act.....	0.28 %
Magnesium, Act.....	0.12 %
Copper, Act	25 mg/kg
Cobalt, Act	0.31 mg/kg
Iron, Act	118 mg/kg
Manganese, Act	77 mg/kg
Zinc, Act	76 mg/kg
Vitamin A, Min.....	5,854 iu/kg
Vitamin D, Min.....	1,610 iu/kg
Vitamin E, Min.....	36 iu/kg

FEEDING DIRECTIONS:

This ration is to be fed to beef cattle at a rate of 4.56 kg to beef cattle weighing 365 kg and consuming 2.5 % of body weight on a dry matter basis. Always have a source of clean water with adequate amounts available at all times. Provide free choice good quality forage. Have free choice salt available at all times. Feeding directions must be carefully followed. Contact a New Rosedale Feedmill representative for more information.

FEEDING CHART:

WEIGHT OF BEEF CATTLE	DRY MATTER INTAKE (2.5% OF BW)	16% FEEDING LEVEL
308 KG	7.70 KG	3.99 KG
365 KG	9.12 KG	4.56 KG
409 KG	10.22 KG	5.13 KG
454 KG	11.35 KG	5.70 KG

WARNING:

1. Do not supplement monensin from other sources (e.g., other feedstuffs containing monensin or slow release devices containing monensin).
2. No withdrawal period or milk withholding time is required when treated at the recommended dose of 22 mg monensin per kg (0.0022%) of complete diet.
3. Keep out of reach of children.

CAUTION:

1. Do not exceed recommended levels as reduced average daily gains may result.
2. Do not allow dogs, horses, or other equines or guinea fowl access to formulations containing monensin. Ingestion of monensin by these species has been fatal.
3. Do not use monensin-medicated feed for the treatment of outbreaks of coccidiosis.
4. Directions for use must be carefully followed.
5. Do not use in association with another feed containing supplemental selenium.

Individual results from the use of this product may vary due to management, environmental, genetic, health and sanitation differences; therefore, New Rosedale Feed Mill does not guarantee individual results.

Manufactured by:
NEW ROSEDALE FEED MILL
PORTAGE LA PRAIRIE, MANITOBA

Net weight on bulk invoice or 20 kg per bag when bagged.

Formula Code: 174RUP